

Copyright Reserved

The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorised by Stantec is forbidden. The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.

Colour Disclaimer

This drawing has been documented in colour. This drawing is required to be printed in colour. Failure to do so may result in loss of information. Black and white printing may be used if specific black and white documents have been obtained from Stantec.

Notes

NOTE:
FOR WALL STABILITY, NO EXCAVATION SHALL TAKE PLACE WITHIN THE ZONE OF INFLUENCE AS SHOWN AND A VERTICAL LINE PLACED A DISTANCE EQUAL TO THE WALL HEIGHT. ANY EXCAVATION WITHIN THE ZONE OF INFLUENCE WILL REQUIRE CERTIFICATION BY A PRACTISING STRUCTURAL ENGINEER.

NOTE:
ONLY LIGHTWEIGHT COLORBOND EQUIVALENT FENCES MAY BE BUILT OVER THIS PARTICULAR WALL. DEVELOPER TO INCLUDE THIS INTO CONTRACT OF SALE DOCUMENTS OR ADVISE ENGINEER OTHERWISE. MAXIMUM HEIGHT OF FENCE TO BE 1.8m.

I HEREBY CERTIFY THAT THESE WALLS HAVE BEEN DESIGNED TO ACCOMMODATE THE DESIGN LOAD PARAMETERS AS INDICATED IN THE TABLE ABOVE.

SIGNED _____ DATE _____
NAME (PRACTISING STRUCTURAL ENGINEER FOR STANTEC)

| | | | | |
|-----------------------------|-------------------------|------|-------|------------|
| 0 | ISSUED FOR CONSTRUCTION | MCM | STT | 2023.10.25 |
| A | ISSUED FOR TENDER | MCM | DP | 2023.02.20 |
| Issued/Revision | | By | Appd | YYYY.MM.DD |
| File Name: CI-208-RW-D2.DWG | | MCM | DP | 2023.02.20 |
| | | Dwn. | Dsgn. | Chkd. |
| | | | | YYYY.MM.DD |

Issue Status

CONSTRUCTION ISSUE

This document is suitable only for the purpose noted above. Use of this document for any other purpose is not permitted.

Client/Project Logo


Client/Project
S & A GALATI

WHISTLING GROVE - STAGE 2


Title
RETAINING WALL STANDARD DETAILS SHEET 2

| | | |
|--------------------------|-----------------------------|-------------------|
| Project No. 301251172 | WAPC No. 160974 & 162398 | Scale AS SHOWN |
| Revision 0 | Drawing No. | |


CI-208-RW-D2




SECTION A-A
SCALE 1:20 (A1)
1:40 (A3)




SECTION A-A
TWO COURSE RETAINING WALL FOOTING DEEPENING
(SINGLE LAYER POWER TRENCH)
SCALE 1:20




SECTION C-C
THREE COURSE RETAINING WALL FOOTING DEEPENING
(SINGLE LAYER POWER TRENCH)
SCALE 1:20



SECTION B-B
SCALE 1:20 (A1)
1:40 (A3)



SECTION B-B
TWO COURSE RETAINING WALL FOOTING DEEPENING
(DOUBLE LAYER POWER TRENCH)
SCALE 1:20



SECTION C-C
SCALE 1:20 (A1)
1:40 (A3)

